



10/723381

cgc

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: SAY ET AL. Docket: 12008.39USC1  
Patent No.: 6,975,893 B2  
Issued: DECEMBER 13, 2005  
Title: MASS TRANSPORT LIMITED IN VIVO ANALYTE SENSOR

**CERTIFICATE UNDER 37 CFR 1.8:**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on March 10, 2006.

By:

Name: Kristine A. Wacek

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

Sir:

We are transmitting herewith the attached:

- ☒ Transmittal Sheet in duplicate containing Certificate of Mailing
- ☒ Request for Certificate of Correction
- ☒ Certificate of Correction
- ☒ Check in the amount of \$100.00 for Certificate of Correction for Applicants' Errors
- ☒ Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

Merchant & Gould P.C.  
P.O. Box 2903 Minneapolis, MN 55402-0903  
612.332.5300

By:

Name: Mara E. DeBoe  
Reg. No.: 40,066  
MDeBoe:PLSkaw

**23552**

PATENT TRADEMARK OFFICE

Certificate  
MAR 17 2006  
of Correction

MAR 20 2006



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: SAY ET AL. Docket: 12008.39USC1  
Patent No.: 6,975,893 B2  
Issued: DECEMBER 13, 2005  
Title: MASS TRANSPORT LIMITED IN VIVO ANALYTE SENSOR

**CERTIFICATE UNDER 37 CFR 1.8:**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on March 10, 2006.

By:

Name: Kristine A. Wacek

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

Sir:

We are transmitting herewith the attached:

- ☒ Transmittal Sheet in duplicate containing Certificate of Mailing
- ☒ Request for Certificate of Correction
- ☒ Certificate of Correction
- ☒ Check in the amount of \$100.00 for Certificate of Correction for Applicants' Errors
- ☒ Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

Merchant & Gould P.C.  
P.O. Box 2903 Minneapolis, MN 55402-0903  
612.332.5300

By:

Name: Mara E. DeBoe  
Reg. No.: 40,066  
MDeBoe:PLSkaw

**23552**

PATENT TRADEMARK OFFICE

MAR 20 2006

(PTO TRANSMITTAL - POST ISSUANCE)



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,975,893 B2 Docket: 12008.39USC1  
Issue Date: DECEMBER 13, 2005 Patentee: SAY ET AL.  
Title: MASS TRANSPORT LIMITED IN VIVO ANALYTE SENSOR

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on March 10, 2006.

By: Kristine A. Wacek

Name: Kristine A. Wacek

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**23552**

PATENT TRADEMARK OFFICE

Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. One copy of the text of the Certificate in the suggested form is enclosed.

As some of the errors listed are due to Applicant's mistake, our check in the amount of \$100.00 is enclosed to cover the Certificate fee.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

Respectfully submitted,

MERCHANT & GOULD P.C.  
P.O. Box 2903  
Minneapolis, Minnesota 55402-0903  
(612) 332-5300

Date: March 10, 2006

Mara E. DeBoe  
Mara E. DeBoe

Reg. No. 40,066

MED:PLSkaw

03/15/2006 CCHAU1 00000072 6975893

01 FC:1811

100.00 DP

MAR 20 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

**PATENT NO. :** 6,975,893 B2

**PAGE** 1 **of** 2

**DATED :** DECEMBER 13, 2005

**INVENTOR(S) :** SAY ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 4, Foreign Patent Documents: insert --WO WO 99/56613 11/1999-- in appropriate order.

Page 5, Other Publications, first Degani, Y. et al. reference: "91(67:1285-1289" should read --91(6):1285-1289--

Page 5, second column: "Heineman, W.R. et al., "Indirect Coulometric Titration of Biological Electron Transport Components," *Analytical Chemistry*, 45(7):1021-1027 (Jun. 1973)." should read --Heineman, W.R. et al., "Measurement of Enzyme E° ' Values by Optically Transparent Thin Layer Electrochemical Cells", *Analytical Chemistry*, 47(1):79, 82-84 (Jan. 1975)--

Col. 1, line 6: "filed Jun. 16,2000," should read --filed Jun. 16, 2000,--

Col. 1, line 8: "application No. 60/1 94,61 8," should read --application No. 60/194,618,--

Col. 3, line 67: "layers 13 are" should read --layers 134 are--

Col. 4, line 1: "suitable e sensing layer" should read --suitable sensing layer--

Col. 4, line 3: "an enzym, and a" should read --an enzyme, and a--

Col. 4, line 18: "thicknesses e less than" should read --thicknesses less than--

Col. 5, line 4: "lectrode. Counter" should read --electrode. Counter--

Col. 8, line 21: "can be mad using" should read --can be made using--

Col. 8, line 40: "include thos commercially" should read --include those commercially--

**MAILING ADDRESS OF SENDER:**

Merchant & Gould P.C.  
Attn: Mara E. DeBoe  
P.O. Box 2903  
Minneapolis, MN 55402-0903

**PATENT NO.** 6,975,893 B2

**Docket No.** 12008.39USC1

**No. of add'l copies** 0

**23552**

PATENT TRADEMARK OFFICE

MAR 20 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,893 B2

PAGE 2 of 2

DATED : DECEMBER 13, 2005

INVENTOR(S) : SAY ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 9, line 65: "flux is  $D_{sol}xhxC_{sol}$ , where" should read --flux is  $D_{sol} \times h \times L \times C_{sol}$ , where--

Col. 10, line 5: "to  $D_{film}xk$ , yielding" should read --to  $D_{film} \times k$ , yielding--

Col. 10, line 7: " $D_{sol}xhxC_{sol} < axD_{film}xkxL$ " should read -- $D_{sol} \times h \times L \times C_{sol} < a \times D_{film} \times k \times L$ --

Col. 10, line 12: " $D_{sol}xhxC_{sol} < axD_{film}xk$ " should read -- $D_{sol} \times h \times C_{sol} < a \times D_{film} \times k$ --

Col. 12, line 5: "with•3M 467" should read --with 3M 467--

Col. 14, line 20: "Eight sensor were" should read --Eight sensors were--

Col. 14, line 41, claim 1: "working eletrode and" should read --working electrode and--

MAILING ADDRESS OF SENDER:

Merchant & Gould P.C.  
Attn: Mara E. DeBoe  
P.O. Box 2903  
Minneapolis, MN 55402-0903

PATENT NO. 6,975,893 B2

Docket No. 12008.39USC1

No. of add'l copies 0

23552

PATENT TRADEMARK OFFICE

MAR 20 2006